

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 06-256203

(43)Date of publication of application : 13.09.1994

(51)Int.Cl.

A61K 35/78
A61K 35/12
A61K 35/64
// (A61K 35/78
A61K 35:12)

(21)Application number : 05-093519

(71)Applicant : KUGA TAKAAKI
KUGA MASAACKI

(22)Date of filing : 02.03.1993

(72)Inventor : KUGA MASAACKI

(54) THERAPEUTIC MEDICINE FOR DERMATITIS SUCH AS ATOPIC DERMATITIS OR THE LIKE

(57)Abstract:

PURPOSE: To obtain a therapeutic medicine for various dermatitides such as hardly curable atopic dermatitis, not followed by itch and pain, having highly remedying effect free from side effect.

CONSTITUTION: Crude medicines such as root of Angelica acutiloba, root of Paeonia albiflora, root of Angelia duhurica, bark of Cinnamomum cassia, root of Rehmannia glutiosa, rhizome of Coptis japonica, root of Scutellaria baicalensis, root of Ladebouriella seseloides, whole grass of Schizonpeta tenuifolia, rhizome of Atractylodes ovata, etc., boiled in a vegetable oil such as olive oil to give an extracted solution, from which a solid substance is removed by filtration or other means. The resultant substance is dissolved in bees wax and cooled to give an ointment, which is mixed with a horse oil to give a therapeutic medicine.

CLAIMS

[Claim(s)]

[Claim 1] The remedy to the various skin disease characterized by using as an effective principal component what combined the extract which began to boil these and obtained them with olive oil, and the oil of a horse combining the crude drug of an *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria root*, *Ledebouriella*, *Schizonepetae herba*, and an *atractylodes lancea rhizome*.

[Claim 2] The remedy to the various skin disease characterized by using as an effective principal component what combined the extract which began to boil these and obtained them with sesame oil, and the oil of a horse combining the crude drug of an *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria root*, *Ledebouriella*, *Schizonepetae herba*, and an *atractylodes lancea rhizome*.

[Claim 3] The remedy to the various skin disease characterized by using as an effective principal component what combined the extract which began to boil these and obtained them with vegetable oil, and the oil of a horse combining the crude drug of an *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria root*, *Ledebouriella*, *Schizonepetae herba*, and an *atractylodes lancea rhizome*.

[Claim 4] The remedy to the various skin disease characterized by using as an effective principal component the extract which began to boil these and obtained them with animal oil, such as an oil of a horse, combining the crude drug of an *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria root*, *Ledebouriella*, *Schizonepetae herba*, and an *atractylodes lancea rhizome*.

[Claim 5] The remedy to the various skin disease characterized by using as an effective principal component what combined suitably the extract which began to boil these and obtained them with olive oil combining the crude drug of an *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria root*, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea rhizome*, *Akebia quinata*, GOHOUSHI, and ZENTAI, and the oil of a horse.

[Claim 6] The remedy to the various skin disease characterized by using as an effective principal component what combined suitably the extract which began to boil these and obtained them with sesame oil combining the crude drug of an *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria root*, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea rhizome*, *Akebia quinata*, GOHOUSHI, and ZENTAI, and the oil of a horse.

[Claim 7] The remedy to the various skin disease characterized by using as an effective principal component what combined suitably the extract which began to boil these and obtained them with vegetable oil combining the crude drug of an *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria root*, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea rhizome*, *Akebia quinata*, GOHOUSHI, and ZENTAI, and the oil of a horse.

[Claim 8] The remedy to the various skin disease characterized by using as an effective principal component suitably the extract which began to boil these and obtained them with animal oil, such as an oil of a horse, combining the crude drug of an *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria root*, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea rhizome*, *Akebia quinata*, GOHOUSHI, and ZENTAI.

[Claim 9] The remedy to the various skin disease suitably characterized by using as an effective principal component what combined the extract which began to boil these and obtained them with olive oil combining an *angericae radix*, a peony, *Angelica Dahurica Root*, cinnamon, *Rehmannia glutinosa*, a *coptis root*, a *Scutellaria root*, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea rhizome*, *Akebia quinata*, GOHOUSHI, ZENTAI, gene gin, and the crude drug of *Rheum undulatum*, and the oil of a horse.

[Claim 10] The remedy to the various skin disease suitably characterized by using as an effective principal component what combined the extract which began to boil these and obtained them with

sesame oil combining an *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea* rhizome, *Akebia quinata*, GOHOUSHI, ZENTAI, gene gin, and the crude drug of *Rheum undulatum*, and the oil of a horse.

[Claim 11] The remedy to the various skin disease suitably characterized by using as an effective principal component what combined the extract which began to boil these and obtained them with vegetable oil combining an *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea* rhizome, *Akebia quinata*, GOHOUSHI, ZENTAI, gene gin, and the crude drug of *Rheum undulatum*, and the oil of a horse.

[Claim 12] An *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea* rhizome, *Akebia quinata*, GOHOUSHI, ZENTAI, gene gin, the remedy to the various skin disease characterized by using as an effective principal component suitably the extract which began to boil these and obtained them with animal oil, such as an oil of a horse, combining the crude drug of *Rheum undulatum*.

[Claim 13] The remedy to the various skin disease characterized by using as an effective principal component what combined suitably the extract which began to boil these and obtained them with olive oil combining the crude drug of an *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea* rhizome, *Akebia quinata*, GOHOUSHI, ZENTAI, gene gin, *Rheum undulatum*, a cork tree bark, and a *gardeniae fructus*, and the oil of a horse.

[Claim 14] The remedy to the various skin disease characterized by using as an effective principal component what combined suitably the extract which began to boil these and obtained them with sesame oil combining the crude drug of an *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea* rhizome, *Akebia quinata*, GOHOUSHI, ZENTAI, gene gin, *Rheum undulatum*, a cork tree bark, and a *gardeniae fructus*, and the oil of a horse.

[Claim 15] The remedy to the various skin disease characterized by using as an effective principal component suitably the extract which began to boil these and obtained them with vegetable oil combining the crude drug of an *angericae radix*, a peony, HYAKUSHI, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea* rhizome, *Akebia quinata*, GOHOUSHI, ZENTAI, gene gin, *Rheum undulatum*, a cork tree bark, and a *gardeniae fructus*.

[Claim 16] A remedy [as opposed to the description and NA ***** skin disease for using as an effective principal component suitably the extract which began to boil these and obtained them with animal oil, such as an oil of a horse combining the crude drug of an *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon *Rehmannia glutinosa*, a *coptis* root a *Scutellaria* root Pau Huu, *Schizonepetae herba*, an *atractylodes lancea* rhizome *Akebia quinata*, GOHOUSHI, ZENTAI, gene gin *Rheum undulatum*, a cork tree bark, and a *gardeniae fructus*].

DETAILED DESCRIPTION

[Detailed Description of the Invention]

[0001]

[Industrial Application] It is used as atopic dermatitis, stomatitis, external-auditory-meatus flame, a burn, an incised wound, and other skin remedies.

[0002]

[Description of the Prior Art] Conventionally, there is a skin disease remedy by the same people application of presentation on utility model ***** February 8, Heisei 5. However, the remedy cannot fully press down the itching of the disease section.

[0003]

[Problem(s) to be Solved by the Device] Since the conventional remedy could not fully press down the itching of the disease section, the disease section was scratched in many cases, and the curative effect was barred in many cases. For this reason, it is a technical problem for there not to be itching and a side effect with *****, and to obtain the large remedy of effectiveness to the disease of atopic dermatitis. Moreover, it is a technical problem for a pain and a side effect not to be almost similarly, and to obtain the large remedy of effectiveness also to skin disease, such as stomatitis and external-auditory-meatus flame.

[0004]

[Means for Solving the Problem] The remedy to skin disease, such as an angericae radix, a peony, Angelica Dahurica Root, cinnamon, Rehmannia glutinosa, a coptis root, a Scutellaria root, Ledebouriella, Schizonepetae herba, atopic dermatitis that uses as an effective principal component what combined the extract which began to boil these and obtained them with vegetable oil, such as olive oil, combining the crude drug of an atractylodes lancea rhizome, and the oil of a horse, stomatitis and external-auditory-meatus flame, a burn, and an incised wound.

[0005]

[Function] By applying the remedy of this invention to a part lightly, or lengthening and applying gauze on gauze, paper, etc., it acts on skin disease, such as atopic dermatitis, stomatitis, external-auditory-meatus flame, a burn, and an incised wound, and the itching and a side effect are not almost and a therapy with large effectiveness can be performed. Moreover, since the itching of the disease section can be pressed down during the therapy, scratching the disease section decreases and a curative effect acts greatly.

[0006]

[Example 1] The remedy to the various skin disease characterized by using as an effective principal component an angericae radix, a peony, Angelica Dahurica Root, cinnamon, Rehmannia glutinosa, a coptis root, a Scutellaria root, Ledebouriella, Schizonepetae herba, and the thing that combined the extract which began to boil these and obtained them with olive oil combining the crude drug of an atractylodes lancea rhizome, and the oil of a horse. In addition, [0007] which can perform the large therapy of effectiveness further by using together with this medicine for external application, and using a Chinese medicine oral medicine

[Example 2] The remedy to the various skin disease characterized by using as an effective principal component an angericae radix, a peony, Angelica Dahurica Root, cinnamon, Rehmannia glutinosa, a coptis root, a Scutellaria root, Ledebouriella, Schizonepetae herba, and the thing that combined the extract which began to boil these and obtained them with sesame oil combining the crude drug of an atractylodes lancea rhizome, and the oil of a horse. In addition, [0008] which can perform the large therapy of effectiveness further by using together with this medicine for external application, and using a Chinese medicine oral medicine

[Example 3] The remedy to the various skin disease characterized by using as an effective principal component what combined animal oil, such as an extract which began to boil these and obtained them with vegetable oil combining the crude drug of an angericae radix, a peony, Angelica Dahurica Root, cinnamon, Rehmannia glutinosa, a coptis root, a Scutellaria root, Ledebouriella, Schizonepetae herba,

and an *atractylodes lancea* rhizome, and an oil of a horse. In addition, [0009] which can perform the large therapy of effectiveness further by using together with this medicine for external application, and using a Chinese medicine oral medicine

[Example 4] The remedy to the various skin disease characterized by using as an effective principal component an *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, and the extract that began to boil these and obtained them with animal oil, such as an oil of a horse, combining the crude drug of an *atractylodes lancea* rhizome. In addition, [0010] which can perform the large therapy of effectiveness further by using together with this medicine for external application, and using a Chinese medicine oral medicine

[Example 5] A remedy [as opposed to filtration and the other various skin disease which put in beeswax for removing a solid more, cooled after heating and dissolving, considered as the fat agent, and mixed and built this fat agent and the oil of a horse further for the extract which began to boil these with olive oil, and was obtained combining the crude drug of an *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba* and an *atractylodes lancea* rhizome]. In addition, [0011] which can perform the large therapy of effectiveness further by using together with this medicine for external application, and using a Chinese medicine oral medicine

[Example 6] A remedy [as opposed to filtration and the other various skin disease which put in beeswax for removing a solid more, cooled after heating and dissolving, considered as the fat agent, and mixed and built this fat agent and the oil of a horse further for the extract which began to boil these with sesame oil, and was obtained combining the crude drug of an *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, and an *atractylodes lancea* rhizome]. In addition, [0012] which can perform the large therapy of effectiveness further by using together with this medicine for external application, and using a Chinese medicine oral medicine

[Example 7] It is begun combining the crude drug of an *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, and an *atractylodes lancea* rhizome to boil these with vegetable oil. And the remedy to various skin disease [as opposed to filtration and the other various skin disease which put in beeswax for removing a solid more, cooled after heating and dissolving, considered as the fat agent, and mixed and built this fat agent and the oil of a horse further for the obtained extract]. In addition, [0013] which can perform the large therapy of effectiveness further by using together with this medicine for external application, and using a Chinese medicine oral medicine

[Example 8] A remedy [as opposed to filtration and the other various skin disease which put in beeswax for removing a solid more, cooled after heating and dissolving, and was built as a fat agent for the extract which began to boil these from oil of a horse, and was obtained combining the crude drug of an *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, and an *atractylodes lancea* rhizome]. In addition, [0014] which can perform the large therapy of effectiveness further by using together with this medicine for external application, and using a Chinese medicine oral medicine

[Example 9] The remedy to the various skin disease characterized by using as an effective principal component what combined suitably the extract which began to boil these and obtained them with olive oil combining the crude drug of an *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea* rhizome, *Akebia quinata*, GOHOUSHI, and ZENTAI, and the oil of a horse. In addition, [0015] which can perform the large therapy of effectiveness further by using together with this medicine for external application, and using a Chinese medicine oral medicine

[Example 10] The remedy to the various skin disease characterized by using as an effective principal component what combined suitably the extract which began to boil these and obtained them with sesame oil combining the crude drug of an *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon,

Rehmannia glutinosa, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea* rhizome, *Akebia quinata* GOHOUSHI, and ZENTAI, and the oil of a horse. In addition, [0016] which can perform the large therapy of effectiveness further by using together with this medicine for external application, and using a Chinese medicine oral medicine

[Example 11] The remedy to the various skin disease which depends with the description. In addition, [0017] which can perform the large therapy of effectiveness further by using together with this medicine for external application, and using a Chinese medicine oral medicine

[Example 12] The remedy to the various skin disease suitably characterized by using as an effective principal component NIKISU which began to boil these and obtained them with animal oil, such as an oil of a horse, combining the crude drug of an *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea* rhizome, *Akebia quinata*, GOHOUSHI, and ZENTAI. In addition, [0018] which can perform the large therapy of effectiveness further by using together with this medicine for external application, and using a Chinese medicine oral medicine

[Example 13] An *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea* rhizome, *Akebia quinata*, Cool, after putting in beeswax for removing filtration and other twist solids, heating the extract which began to boil these with olive oil and was obtained combining the crude drug of GOHOUSHI and ZENTAI and dissolving suitably, and it considers as a fat agent. The remedy to the various skin disease which furthermore mixed and built this fat agent and the oil of a horse. In addition, [0019] which can perform the large therapy of effectiveness further by using together with this medicine for external application, and using a Chinese medicine oral medicine

[Example 14] The crude drug of an *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea* rhizome, *Akebia quinata*, GOHOUSHI, and ZENTAI suitably A remedy [as opposed to filtration and the other various skin disease which put in beeswax for removing a solid more, cooled after heating and dissolving, considered as the fat agent, and mixed and built this fat agent and the oil of a horse further for the extract which combined, began to boil these with sesame oil, and was obtained]. In addition, [0020] which can perform the large therapy of effectiveness further by using together with this medicine for external application, and using a Chinese medicine oral medicine

[Example 15] The crude drug of an *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea* rhizome, *Akebia quinata*, GOHOUSHI, and ZENTAI suitably A remedy [as opposed to filtration and the other various skin disease which put in beeswax for removing a solid more, cooled after heating and dissolving, considered as the fat agent, and mixed and built this fat agent and the oil of a horse further for the extract which combined, began to boil these with vegetable oil, and was obtained]. In addition, [0021] which can perform the large therapy of effectiveness further by using together with this medicine for external application, and using a Chinese medicine oral medicine

[Example 16] A remedy [as opposed to filtration and the other various skin disease which put in beeswax for removing a solid more, cooled after heating and dissolving, and was built as a fat agent for the extract which began to boil these from oil of a horse, combining suitably the crude drug of an *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa* a *coptis* root, a *Scutellaria* root, *Ledebouriella* *Schizonepetae herba*, an *atractylodes lancea* rhizome *Akebia quinata* GOHOUSHI, and ZENTAI and was obtained].

[0022]

[Example 17] The remedy to the various skin disease suitably characterized by using as an effective principal component what combined the extract which began to boil these and obtained them with olive oil combining an *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea* rhizome, *Akebia quinata*, GOHOUSHI, ZENTAI, gene gin, and the crude drug of *Rheum undulatum*, and the oil of a horse. In addition, [0023] which can perform the large therapy of effectiveness further by using

together with this medicine for external application, and using a Chinese medicine oral medicine [Example 18] The remedy to the various skin disease suitably characterized by using as an effective principal component what combined the extract which began to boil these and obtained them with sesame oil combining an *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea* rhizome, *Akebia quinata*, GOHOUSHI, ZENTAI, gene gin, and the crude drug of *Rheum undulatum*, and the oil of a horse. In addition, [0024] which can perform the large therapy of effectiveness further by using together with this medicine for external application, and using a Chinese medicine oral medicine [Example 19] The remedy to the various skin disease suitably characterized by using as an effective principal component what combined the animal oil which began to boil these and obtained them with vegetable oil combining an *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea* rhizome, *Akebia quinata*, GOHOUSHI, ZENTAI, gene gin, and the crude drug of *Rheum undulatum*, such as an extract and an oil of a horse. In addition, [0025] which can perform the large therapy of effectiveness further by using together with this medicine for external application, and using a Chinese medicine oral medicine

[Example 20] An *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea* rhizome, *Akebia quinata*, GOHOUSHI, ZENTAI, gene gin, the remedy to the various skin disease characterized by using as an effective principal component suitably the extract which began to boil these and obtained them with animal oil, such as an oil of a horse, combining the crude drug of *Rheum undulatum*. In addition, [0026] which can perform the large therapy of effectiveness further by using together with this medicine for external application, and using a Chinese medicine oral medicine

[Example 21] An *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea* rhizome, *Akebia quinata*, GOHOUSHI, ZENTAI, gene gin, and the crude drug of *Rheum undulatum* suitably A remedy [as opposed to filtration and the other various skin disease which put in beeswax for removing a solid more, cooled after heating and dissolving, considered as the fat agent, and mixed and built this fat agent and the oil of a horse further for the extract which combined, began to boil these with olive oil, and was obtained]. In addition, [0027] which can perform the large therapy of effectiveness further by using together with this medicine for external application, and using a Chinese medicine oral medicine

[Example 22] An *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea* rhizome, *Akebia quinata*, GOHOUSHI, ZENTAI, gene gin, and the crude drug of *Rheum undulatum* suitably A remedy [as opposed to filtration and the other various skin disease which put in beeswax for removing a solid more, cooled after heating and dissolving, considered as the fat agent, and mixed and built this fat agent and the oil of a horse further for the extract which combined, began to boil these with sesame oil, and was obtained]. In addition, [0028] further made in the large therapy of effectiveness by using together with this medicine for external application, and using a Chinese medicine oral medicine

[Example 23] An *angericae radix*, a peony, *Angelica Dahurica* Root, cinnamon, *Rehmannia glutinosa*, a *coptis* root, a *Scutellaria* root, *Ledebouriella*, *Schizonepetae herba*, an *atractylodes lancea* rhizome, *Akebia quinata*, GOHOUSHI, ZENTAI, gene gin, and the crude drug of *Rheum undulatum* suitably A remedy [as opposed to filtration and the other various skin disease which put in beeswax for removing a solid more, cooled after heating and dissolving, considered as the fat agent, and mixed and built this fat agent and the oil of a horse further for the extract which combined, began to boil these with vegetable oil, and was obtained]. In addition, [0029] which can perform the large therapy of effectiveness further by using together with this medicine for external application, and using a Chinese medicine oral medicine

[Example 24] A remedy [as opposed to filtration and the other various skin disease which put in beeswax for removing a solid more, cooled after heating and dissolving, and was built as a fat agent for the extract which began to boil these from oil of a horse, combining suitably an *angericae radix*, a

(19)日本国特許庁 (J P)

(12) 公 開 特 許 公 報 (A)

(11)特許出願公開番号

特開平6-256203

(43)公開日 平成 6 年(1994) 9 月13日

(51)Int.Cl. ⁵	識別記号	庁内整理番号	F I	技術表示箇所
A 6 1 K 35/78	ADA W	7167-4C		
35/12		7431-4C		
35/64		7431-4C		
// (A 6 1 K 35/78				
35: 12)		7431-4C		

審査請求 未請求 請求項の数16 書面 (全 6 頁)

(21)出願番号 特願平5-93519

(22)出願日 平成 5 年(1993) 3 月 2 日

(71)出願人 592151890

久我 高昭

愛媛県新居浜市坂井町 3 丁目14番52号

(71)出願人 593077490

久我 正明

愛媛県北条市辻826番地 5 号

(72)発明者 久我 正明

愛媛県北条市辻826番地 5 号

(54)【発明の名称】 アトピー性皮膚炎等皮膚疾患治療薬

(57)【要約】

【目的】治療が困難なアトピー性皮膚炎等の各種皮膚疾患に対して、かゆみ、痛みを伴わず、かつ副作用のない治療効果の大きい薬を得ることである。

【構成】トウキ、シャクヤク、ビャクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ等の生薬を組み合わせてこれらをオリーブ油等の植物油で煮出して、そして得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合して作った治療薬。

【請求項9】ドウキ、シャクヤク、ビヤクシ、ケイヒ、
ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイカ

【請求項16】 トウキ、シャクヤク、ビャクシ、ケイ
ヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケ
イガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、

10.

20

30

40

50

3

ゲンジン、カラダイオウ、オウバク、サンシシの生薬を適宜、組合わせてこれらを馬の油等の動物油で煮出して得たエキスを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。

【発明の詳細な説明】

【0001】

【産業上の利用分野】アトピー性皮膚炎、口内炎、外耳道炎、火傷、切り傷、その他の皮膚治療薬として利用される。

【0002】

【従来の技術】従来は、実用新案登録願平成5年2月8日提出の同一人出願による皮膚疾患治療薬がある。しかしながら、その治療薬はその疾患部のかゆみを充分におさえることができない。

【0003】

【考案が解決しようとする課題】従来の治療薬は、疾患部のかゆみを充分におさえることができないので、その疾患部を引っ掻くことが多く、治療効果が妨げられることが多かった。このためアトピー性皮膚炎の疾患に対して、かゆみと副作用がほとんどなく、かつ効果の大きい治療薬を得ることが課題である。また口内炎、外耳道炎等の皮膚疾患に対しても、同様に痛みと副作用がほとんどなく、かつ効果の大きい治療薬を得ることが課題である。

【0004】

【課題を解決するための手段】トウキ、シャクヤク、ビャクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツの生薬を組合わせてこれらをオリーブ油等の植物油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とするアトピー性皮膚炎、口内炎・外耳道炎、火傷、切り傷等の皮膚疾患に対する治療薬。

【0005】

【作用】本発明の治療薬を局所に軽く塗布するか、ガーゼや紙などに伸ばして貼布することによりアトピー性皮膚炎、口内炎、外耳道炎、火傷、切り傷等の皮膚疾患に作用してかゆみ、副作用がほとんどなく、かつ効果が大きい治療ができる。またその治療中に疾患部のかゆみをおさえることができるので、その疾患部を引っ掻くことが少なくなり、治療効果が大きく作用する。

【0006】

【実施例1】トウキ、シャクヤク、ビャクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツの生薬を組合わせてこれらをオリーブ油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0007】

【実施例2】トウキ、シャクヤク、ビャクシ、ケイヒ、

4

ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツの生薬を組合わせてこれらを胡麻油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0008】

【実施例3】トウキ、シャクヤク、ビャクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツの生薬を組合わせてこれらを植物油で煮出して得たエキスと馬の油等の動物油を組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0009】

【実施例4】トウキ、シャクヤク、ビャクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツの生薬を組合わせてこれらを馬の油等の動物油で煮出して得たエキスを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0010】

【実施例5】トウキ、シャクヤク、ビャクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツの生薬を組合わせてこれらをオリーブ油で煮出し、そして得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0011】

【実施例6】トウキ、シャクヤク、ビャクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツの生薬を組合わせてこれらを胡麻油で煮出し、そして得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0012】

【実施例7】トウキ、シャクヤク、ビャクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツの生薬を組合わせてこれらを植物油で煮出し、そして得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合して

10

20

30

40

50

5

つくった各種皮膚疾患に対する各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0013】

【実施例8】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツの生薬を組合わせてこれらを馬の油で煮出し、そして得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤としてつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0014】

【実施例9】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイの生薬を適宜、組合わせてこれらをオリーブ油で煮出して得たエキスを馬の油と組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0015】

【実施例10】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイの生薬を適宜、組合わせてこれらを胡麻油で煮出して得たエキスを馬の油と組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0016】

【実施例11】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイの生薬を適宜、組合わせてこれらを植物油で煮出して得たエキスを馬の油等の動物油と組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0017】

【実施例12】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイの生薬を適宜、組合わせてこれらを馬の油等の動物油で煮出して得たエキスを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0018】

【実施例13】トウキ、シャクヤク、ビャクシ、ケイ

6

ヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイの生薬を適宜、組合わせてこれらをオリーブ油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

10 【0019】

【実施例14】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイの生薬を適宜、組合わせてこれらを胡麻油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0020】

【実施例15】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイの生薬を適宜、組合わせてこれらを植物油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

30 【0021】

【実施例16】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイの生薬を適宜、組合わせてこれらを馬の油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤としてつくった各種皮膚疾患に対する治療薬。

40 【0022】

【実施例17】トウキ、シャクヤク、ビャクシ、ケイヒ、ジクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウの生薬を適宜、組合わせてこれらをオリーブ油で煮出して得たエキスを馬の油と組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

50 【0023】

【実施例18】トウキ、シャクヤク、ビャクシ、ケイヒ、ジュクジオウ、オウレン・オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウの生薬を適宜、組合わせてこれらを胡麻油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0024】

【実施例19】トウキ、シャクヤク、ビャクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウの生薬を適宜、組合わせてこれらを植物油で煮出して得たエキスと馬の油等の動物油を組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0025】

【実施例20】トウキ、シャクヤク、ビャクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウの生薬を適宜、組合わせてこれらを馬の油等の動物油で煮出して得たエキスを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0026】

【実施例21】トウキ、シャクヤク、ビャクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウの生薬を適宜、組合わせてこれらをオリーブ油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0027】

【実施例22】トウキ、シャクヤク、ビャクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウの生薬を適宜、組合わせてこれらを胡麻油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0028】

【実施例23】トウキ、シャクヤク、ビャクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウの生薬を適宜、組合わせてこれらを植物油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0029】

【実施例24】トウキ、シャクヤク、ビャクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウの生薬を適宜、組合わせてこれらを馬の油で煮出し、そして得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤としてつくった各種皮膚疾患に対する治療薬。

【0030】

【実施例25】トウキ、シャクヤク、ビャクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウ、オウバク、サンシシの生薬を適宜、組合わせてこれらをオリーブ油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0031】

【実施例26】トウキ、シャクヤク、ビャクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ・ゴホウシ、ゼンタイ、ゲンジン、カラダイオウ、オウバク、サンシシの生薬を適宜、組合わせてこれらを胡麻油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0032】

【実施例27】トウキ、シャクヤク、ビャクシ、ケイヒ、ジュクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウ、オウバク、サンシシの生薬を適宜、組合わせてこれらを植物油で煮出して得たエキスと馬の油等の動物油を組み合わせたものを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0033】

【実施例28】トウキ、シャクヤク、ビャクシ、ケイヒ、ジユクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウ、オウバク、サンシシの生薬を適宜、組合わせてこれらを馬の油等の動物油で煮出して得たエキスを有効主成分とすることを特徴とする各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0034】

【実施例29】トウキ、シャクヤク、ビャクシ、ケイヒ、ジユクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウ、オウバク、サンシシの生薬を適宜、組合わせてこれらをオリーブ油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0035】

【実施例30】トウキ、シャクヤク、ビャクシ、ケイヒ、ジユクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウ、オウバク、サンシシの生薬を適宜、組合わせてこれらを胡麻油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0036】

【実施例31】トウキ、シャクヤク、ビャクシ、ケイ

ヒ、ジユクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウ、オウバク、サンシシの生薬を適宜、組合わせてこれらを植物油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤とし、さらにこの膏剤と馬の油とを混合してつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0037】

【実施例32】トウキ、シャクヤク、ビャクシ、ケイヒ、ジユクジオウ、オウレン、オウゴン、ボウフウ、ケイガイ、ソウジュツ、モクツウ、ゴホウシ、ゼンタイ、ゲンジン、カラダイオウ、オウバク、サンシシの生薬を適宜、組合わせてこれらを馬の油で煮出して得られた抽出液を濾過、その他により固形物を除去してこれに蜜蝋を入れて加熱、溶解してから冷やして膏剤としてつくった各種皮膚疾患に対する治療薬。なおこの外用薬と併用して漢方内服薬を用いることにより、よりいっそう効果の大きい治療ができる

【0038】

【発明の効果】治療が困難なアトピー性皮膚炎に対してこれらの薬を用いることにより、ほとんど副作用がなくなると共に、かつその患部のかゆみが抑えられるため、その患部を引っ掻くことが非常に少なくなり、従来よりきわめて有効な治療ができる。口内炎、外耳道炎に対しては、これらの薬を用いることにより同様にほとんど副作用もなくかつ、痛みがなくなるため、従来よりきわめて有効な治療ができる。また、これらの薬を用いることにより、火傷、蓄膿症、鼻炎による嗅覚低下症、鼻炎による鼻づまり、しもやけ、切り傷、その他各種皮膚疾患にも同様に作用してきわめて有効な治療できる。そして舌痛症も従来はこの症例に有効なものはないが、これらの薬は有効である。